

GSMR

Generalised Summary-data-based Mendelian Randomisation

GCTA SMR GSMR OSCA GCTB Program in PCTG CTG forum

Overview

Installation

Tutorial

Package Document

Overview

The **gsmr** R-package implements the GSMR (Generalised Summary-data-based Mendelian Randomisation) method to test for putative causal association between a risk factor and a disease using summary-level data from genome-wide association studies (GWAS) (Zhu et al. 2018 *Nat. Commun.*). The R package is developed by [Zhihong Zhu, Zhili Zheng, Futao Zhang](#) and [Jian Yang](#) at Institute for Molecular Bioscience, the University of Queensland. Bug reports or questions: jian.yang@uq.edu.au.

Note: The GSMR method has also been implemented in the GCTA software ([GCTA-GSMR](#))

Citation

Zhu, Z. et al. (2018) Causal associations between risk factors and common diseases inferred from GWAS summary data. *Nat. Commun.* 9, 224 (<https://www.nature.com/articles/s41467-017-02317-2>).

Installation

The **gsmr** requires R >= 2.15, you can install it in R by:

```
# gsmr requires the R-package(s)
install.packages(c('survey'));
# install gsmr
install.packages("http://cnsgenomics.com/software/gsmr/static/gsmr_1.0.7.tar.gz", repos=NULL, type="source")
```

The gsmr source codes are available in [gsmr_1.0.7.tar.gz](http://cnsgenomics.com/software/gsmr/static/gsmr_1.0.7.tar.gz). Sample data are available in [test_data.zip](#).

This document has been integrated in the gsmr R-package, we can check it by the standard command “?function_name” in R.

Update log

V1.0.7 ([gmr_1.0.7.tar.gz PDF](#), 9 Oct. 2018): Add a multi-SNP-based HEIDI-outlier test in the HEIDI-outlier analysis.

V1.0.6 ([gmr_1.0.6.tar.gz PDF](#), 23 Jan. 2018): Added a function to remove SNPs in high LD.

V1.0.5 ([gmr_1.0.5.tar.gz PDF](#), 13 Dec. 2017): Improved the approximation of the sampling covariance matrix.

V1.0.4 ([gsmr_1.0.4.tar.gz PDF](#), 6 Nov. 2017): Add the bi-directional GSMR analysis. The HEIDI-outlier analysis has been integrated in the GSMR analysis by default.

V1.0.3 ([gsmr_1.0.3.tar.gz PDF](#), 12 Oct. 2017): Add more example data.

Removed the initial versions (8 Nov 2016).

Tutorial

The GSMR analysis only requires summary-level data from GWAS. Here is an example, where the risk factor (x) is LDL cholesterol (LDL-c) and the disease (y) is coronary artery disease (CAD). GWAS summary data for both LDL-c and CAD are available in the public domain (Global Lipids Genetics Consortium et al. 2013, *Nature Genetics*; Nikpay, M. et al. 2015, *Nature Genetics*).

1. Prepare data for GSMR analysis

1.1 Load the GWAS summary data

```
library("gsmr")
data("gsmr")
head(gsmr_data)
```

```

##      SNP a1 a2   a1_freq    bzx bzx_se  bzx_pval    bzx_n      bzy
## 1 rs10903129 A G 0.45001947 -0.0328 0.0037 3.030e-17 169920.0  0.008038
## 2 rs12748152 T C 0.08087758  0.0499 0.0066 3.209e-12 172987.5  0.013671
## 3 rs11206508 A G 0.14396988  0.0434 0.0055 2.256e-14 172239.0  0.030222
## 4 rs11206510 C T 0.19128911 -0.0831 0.0050 2.380e-53 172812.0 -0.074519
## 5 rs10788994 T C 0.18395430  0.0687 0.0049 8.867e-41 172941.9  0.038267
## 6 rs529787 G C 0.19713099 -0.0553 0.0052 8.746e-24 161969.0  0.001707
##      bzy_se    bzy_pval  bzy_n
## 1 0.0092442 0.3845651000 184305
## 2 0.0185515 0.4611690000 184305
## 3 0.0141781 0.0330400000 184305
## 4 0.0133438 0.0000000234 184305
## 5 0.0118752 0.0012711000 184305
## 6 0.0135491 0.8997431000 184305

```

```
dim(gsmr_data)
```

```
## [1] 188 12
```

This is the input format for the GSMDR analysis. In this data set, there are 188 near-independent SNPs associated with LDL-c at a genome-wide significance level (i.e. $p < 5e-8$).

- SNP: the genetic instrument
- a1: effect allele
- a2: the other allele
- a1_freq: frequency of a1
- bzx: the effect size of a1 on risk factor
- bzx_se: standard error of bzx
- bzx_pval: p value for bzx
- bzx_n: per-SNP sample size of GWAS for the risk factor
- bzy: the effect size of a1 on disease
- bzy_se: standard error of bzy
- bzy_pval: p value for bzy
- bzy_n: per-SNP sample size of GWAS for the disease

1.2 Estimate the LD correlation matrix

```

# Save the genetic variants and effect alleles in a text file using R
write.table(gsmr_data[,c(1,2)], "gsmr_example_snps.allele", col.names=F, row.names=F, quote=F)
# Extract the genotype data from a GWAS dataset using GCTA
gcta64 --bfile gsmr_example --extract gsmr_example_snps.allele --update-ref-allele gsmr_example_snps.allele --recode --out gsmr_example

```

Note: the two steps above guarantee that the LD correlations are calculated based on the effect alleles for the SNP effects.

```

# Estimate LD correlation matrix using R
snp_coeff_id = scan("gsmr_example.xmat.gz", what="", nlines=1)
snp_coeff = read.table("gsmr_example.xmat.gz", header=F, skip=2)

# Match the SNP genotype data with the summary data
snp_id = Reduce(intersect, list(gsmr_data$SNP, snp_coeff_id))
gsmr_data = gsmr_data[match(snp_id, gsmr_data$SNP),]
snp_order = match(snp_id, snp_coeff_id)
snp_coeff_id = snp_coeff_id[snp_order]
snp_coeff = snp_coeff[, snp_order]

# Calculate the LD correlation matrix
ldrho = cor(snp_coeff)

# Check the size of the correlation matrix and double-check if the order of the SNPs in the LD correlation matrix is consistent with that in the GWAS summary data
colnames(ldrho) = rownames(ldrho) = snp_coeff_id

```

```
dim(ldrho)
```

```
## [1] 188 188
```

```

# Show the first 5 rows and columns of the matrix
ldrho[1:5,1:5]

```

```

##          rs10903129    rs12748152    rs11206508    rs11206510
## rs10903129  1.000000000 -0.0045378845  0.008066621 -0.01372112
## rs12748152 -0.004537884  1.000000000 -0.006687181  0.00445927
## rs11206508  0.008066621 -0.0066871806  1.000000000 -0.21125757
## rs11206510 -0.013721120  0.0044592696 -0.211257567  1.00000000
## rs10788994 -0.023444710  0.0003629201  0.051259343 -0.18427062
##          rs10788994
## rs10903129 -0.0234447102
## rs12748152  0.0003629201
## rs11206508  0.0512593434
## rs11206510 -0.1842706205
## rs10788994  1.0000000000

```

Note: all the analyses implemented in this R-package only require the summary data (e.g. "gsmr_data") and the LD correlation matrix (e.g. "ldrho") listed above.

2. Standardization

This is an optional process. If the risk factor was not standardised in GWAS, the effect sizes can be scaled using the method below. Note that this process requires allele frequencies, z-statistics and sample size. After scaling, bzx is interpreted as the per-allele effect of a SNP on the exposure in standard deviation units.

```

snpfreq = gsmr_data$a1_freq           # allele frequencies of the SNPs
bzx = gsmr_data$bzx     # effects of the instruments on risk factor
bzx_se = gsmr_data$bzx_se      # standard errors of bzx
bzx_n = gsmr_data$bzx_n      # GWAS sample size for the risk factor
std_zx = std_effect(snpfreq, bzx, bzx_se, bzx_n)   # perform standardisation
gsmr_data$std_bzx = std_zx$b    # standardized bzx
gsmr_data$std_bzx_se = std_zx$se   # standardized bzx_se
head(gsmr_data)

```

	SNP	a1	a2	a1_freq	bzx	bzx_se	bzx_pval	bzx_n	bzy
## 1	rs10903129	A	G	0.45001947	-0.0328	0.0037	3.030e-17	169920.0	0.008038
## 2	rs12748152	T	C	0.08087758	0.0499	0.0066	3.209e-12	172987.5	0.013671
## 3	rs11206508	A	G	0.14396988	0.0434	0.0055	2.256e-14	172239.0	0.030222
## 4	rs11206510	C	T	0.19128911	-0.0831	0.0050	2.380e-53	172812.0	-0.074519
## 5	rs10788994	T	C	0.18395430	0.0687	0.0049	8.867e-41	172941.9	0.038267
## 6	rs529787	G	C	0.19713099	-0.0553	0.0052	8.746e-24	161969.0	0.001707
		bzy_se	bzy_pval	bzy_n	std_bzx	std_bzx_se			
## 1		0.0092442	0.3845651000	184305	-0.03055942	0.003447252			
## 2		0.0185515	0.4611690000	184305	0.04713698	0.006234550			
## 3		0.0141781	0.0330400000	184305	0.03829018	0.004852442			
## 4		0.0133438	0.0000000234	184305	-0.07181919	0.004321251			
## 5		0.0118752	0.0012711000	184305	0.06149455	0.004386074			
## 6		0.0135491	0.8997431000	184305	-0.04695042	0.004414868			

3. GSMR analysis

This is the main analysis of this R-package. It uses SNPs associated with the risk factor (e.g. at $p < 5e-8$) as the instruments to test for putative causal effect of the risk factor on the disease. The analysis involves a step that uses the [HEIDI-outlier](#) approach to remove SNPs that have effects on both the risk factor and the disease because of pleiotropy.

```

bzx = gsmr_data$std_bzx    # SNP effects on the risk factor
bzx_se = gsmr_data$std_bzx_se    # standard errors of bzx
bzx_pval = gsmr_data$bzx_pval    # p-values for bzx
bzy = gsmr_data$bzy    # SNP effects on the disease
bzy_se = gsmr_data$bzy_se    # standard errors of bzy
bzy_pval = gsmr_data$bzy_pval    # p-values for bzy
n_ref = 7703    # Sample size of the reference sample
gwas_thresh = 5e-8    # GWAS threshold to select SNPs as the instruments for the GSMR analysis
heidi_outlier_thresh = 0.05    # HEIDI-outlier threshold
nsnps_thresh = 10    # the minimum number of instruments required for the GSMR analysis
heidi_outlier_flag = T    # flag for HEIDI-outlier analysis
ld_r2_thresh = 0.1    # LD r2 threshold to remove SNPs in high LD
ld_fdr_thresh = 0.05    # FDR threshold to remove the chance correlations between the SNP instruments
gsmr_results = gsmr(bzx, bzx_se, bzx_pval, bzy, bzy_se, ldrho,.snp_coeff_id, n_ref, heidi_outlier_flag, gwas_thresh, heidi_outlier_thresh, nsnps_thresh, ld_r2_thresh, ld_fdr_thresh)    # GSMR analysis
filtered_index=gsmr_results$used_index
cat("The estimated effect of the exposure on outcome: ",gsmr_results$bxy)

```

```
## The estimated effect of the exposure on outcome:  0.4667409
```

```
cat("Standard error of bxy: ",gsmr_results$bxy_se)
```

```
## Standard error of bxy:  0.02426841
```

```
cat("P-value for bxy: ", gsmr_results$bxy_pval)
```

```

## P-value for bxy: 1.980647e-82

cat("Indexes of the SNPs used in the GSMR analysis: ", gsmr_results$used_index[1:5], "...")

## Indexes of the SNPs used in the GSMR analysis: 2 3 5 6 7 ...

cat("Number of SNPs with missing estimates in the summary data: ", length(gsmr_results$na_snps))

## Number of SNPs with missing estimates in the summary data: 0

cat("Number of non-significant SNPs: ", length(gsmr_results$weak_snps))

## Number of non-significant SNPs: 38

cat("Number of SNPs in high LD ( LD rsq > ", ld_r2_thresh, "): ", length(gsmr_results$linkage_snps))

## Number of SNPs in high LD ( LD rsq > 0.1 ): 2

cat("Number of pleiotropic outliers: ", length(gsmr_results$pleio_snps))

## Number of pleiotropic outliers: 19

```

4. Bi-directional GSMR analysis

The script below runs bi-directional GSMR analyses, i.e. a forward-GSMR analysis as described above and a reverse-GSMR analysis that uses SNPs associated with the disease (e.g. at $p < 5e-8$) as the instruments to test for putative causal effect of the disease on risk factor.

```

gsmr_results = bi_gsmr(bzx, bzx_se, bzx_pval, bzy, bzy_se, bzy_pval, ldrho, snp_coeff_id, n_ref, heidi_outlier_flag, gwas_thresh, heidi_outlier_t
hresh, nsnps_thresh, ld_r2_thresh, ld_fdr_thresh) # GSMR analysis
cat("Effect of risk factor on disease: ", gsmr_results$forward_bxy)

## Effect of risk factor on disease: 0.4667409

cat("Standard error of bxy in the forward-GSMR analysis: ", gsmr_results$forward_bxy_se)

## Standard error of bxy in the forward-GSMR analysis: 0.02426841

cat("P-value of bxy in the forward-GSMR analysis: ", gsmr_results$forward_bxy_pval)

## P-value of bxy in the forward-GSMR analysis: 1.980647e-82

cat("Effect of disease on risk factor: ", gsmr_results$reverse_bxy)

## Effect of disease on risk factor: -0.0243218

cat("Standard error of bxy in the reverse-GSMR analysis: ", gsmr_results$reverse_bxy_se)

## Standard error of bxy in the reverse-GSMR analysis: 0.009620001

cat("P-value of bxy in the reverse-GSMR analysis: ", gsmr_results$reverse_bxy_pval)

## P-value of bxy in the reverse-GSMR analysis: 0.01146314

```


5. Visualization

```

effect_col = colors()[75]
vals = c(bzx[filtered_index]-bzx_se[filtered_index], bzx[filtered_index]+bzx_se[filtered_index])
xmin = min(vals); xmax = max(vals)
vals = c(bzy[filtered_index]-bzy_se[filtered_index], bzy[filtered_index]+bzy_se[filtered_index])
ymin = min(vals); ymax = max(vals)
par(mar=c(5,5,4,2))
plot(bzx[filtered_index], bzy[filtered_index], pch=20, cex=0.8, bty="n", cex.axis=1.1, cex.lab=1.2,
      col=effect_col, xlim=c(xmin, xmax), ylim=c(ymin, ymax),
      xlab=expression(LDL~cholesterol~(italic(b[zx]))),
      ylab=expression(Coronary-artery-disease~(italic(b[zY]))))
abline(0, gsmr_results$forward_bxy, lwd=1.5, lty=2, col="dim grey")

nsnps = length(bzx[filtered_index])
for( i in 1:nsnps ) {
  # x axis
  xstart = bzx[filtered_index[i]] - bzx_se[filtered_index[i]]; xend = bzx[filtered_index[i]] + bzx_se[filtered_index[i]]
  ystart = bzy[filtered_index[i]] - bzy_se[filtered_index[i]]; yend = bzy[filtered_index[i]] + bzy_se[filtered_index[i]]
  segments(xstart, ystart, xend, yend, lwd=1.5, col=effect_col)
  # y axis
  xstart = bzx[filtered_index[i]]; xend = bzx[filtered_index[i]]
  ystart = bzy[filtered_index[i]] - bzy_se[filtered_index[i]]; yend = bzy[filtered_index[i]] + bzy_se[filtered_index[i]]
  segments(xstart, ystart, xend, yend, lwd=1.5, col=effect_col)
}

```



Package Document

bi_gsmr

Bi-directional GSMD analysis is composed of a forward-GSMD analysis and a reverse-GSMD analysis that uses SNPs associated with the disease (e.g. at < 5e-8) as the instruments to test for putative causal effect of the disease on the risk factor.

Usage

```
bi_gsmr(bzx, bzx_se, bzx_pval, bzy, bzy_se, bzy_pval, ldrho, snpid, heidi_outlier_flag=T, gwas_thresh=5e-8, heidi_outlier_thresh=0.01, nsnps_thresh=10)
```

Arguments

<code>bzx</code>	vector, SNP effects on risk factor
<code>bzx_se</code>	vector, standard errors of bzx
<code>bzx_pval</code>	vector, p values for bzx
<code>bzy</code>	vector, SNP effects on disease
<code>bzy_se</code>	vector, standard errors of bzy

bzy_pval	vector, p values for bzy
ldrho	LD correlation matrix of the SNPs
snpid	genetic instruments
n_ref	sample size of the reference sample
heidi_outlier_flag	flag for HEIDI-outlier analysis
gwas_thresh	threshold p-value to select instruments from GWAS for risk factor
heidi_outlier_thresh	HEIDI-outlier threshold
nsnps_thresh	the minimum number of instruments required for the GSMR analysis (we do not recommend users to set this number smaller than 10)
ld_r2_thresh	LD r2 threshold to remove SNPs in high LD
ld_fdr_thresh	FDR threshold to remove the chance correlations between SNP instruments

Value

Estimate of causative effect of risk factor on disease (forward_bxy), the corresponding standard error (forward_bxy_se), p-value (forward_bxy_pval) and SNP index (forward_index), and estimate of causative effect of disease on risk factor (reverse_bxy), the corresponding standard error (reverse_bxy_se), p-value (reverse_bxy_pval), SNP index (reverse_index), SNPs with missing values, with non-significant p-values and those in LD.

Examples

```
data("gsmr")
gsmr_result = bi_gsmr(gsmr_data$bzx, gsmr_data$bzx_se, gsmr_data$bzx_pval, gsmr_data$bzy, gsmr_data$bzy_se, gsmr_data$bzy_pval, ldrho, gsmr_data$SNP, n_ref, T, 5e-8, 0.01, 10, 0.1, 0.05)
```

gsmr

GSMR (Generalised Summary-data-based Mendelian Randomisation) is a flexible and powerful approach that utilises multiple genetic instruments to test for causal association between a risk factor and disease using summary-level data from independent genome-wide association studies.

Usage

```
gsmr(bzx, bzx_se, bzx_pval, bzy, bzy_se, ldrho, snpid, heidi_outlier_flag=T, gwas_thresh=5e-8, heidi_outlier_thresh=0.01, nsnps_thresh=10)
```

Arguments

bzx	vector, SNP effects on risk factor
bzx_se	vector, standard errors of bzx
bzx_pval	vector, p values for bzx
bzy	vector, SNP effects on disease
bzy_se	vector, standard errors of bzy
ldrho	LD correlation matrix of the SNPs
snpid	genetic instruments
n_ref	sample size of the reference sample
heidi_outlier_flag	flag for HEIDI-outlier analysis
gwas_thresh	threshold p-value to select instruments from GWAS for risk factor
heidi_outlier_thresh	HEIDI-outlier threshold
nsnps_thresh	the minimum number of instruments required for the GSMR analysis (we do not recommend users to set this number smaller than 10)
ld_r2_thresh	LD r2 threshold to remove SNPs in high LD
ld_fdr_thresh	FDR threshold to remove the chance correlations between SNP instruments

Value

Estimate of causative effect of risk factor on disease (bxy), the corresponding standard error (bxy_se), p-value (bxy_pval), SNP index (used_index), SNPs with missing values, with non-significant p-values and those in LD.

Examples

```
data("gsmr")
gsmr_result = gsmr(gsmr_data$bzx, gsmr_data$bzx_se, gsmr_data$bzx_pval, gsmr_data$bzy, gsmr_data$bzy_se, ldrho, gsmr_data$SNP, n_ref, T, 5e-8, 0.01, 10, 0.1, 0.05)
```

std_effect

Standardization of SNP effect and its standard error using z-statistic, allele frequency and sample size

Usage

```
std_effect(snp_freq, b, se, n)
```

Arguments

`snp_freq` vector, allele frequencies

`b` vector, SNP effects on risk factor

`se` vector, standard errors of b

`n` vector, per-SNP sample sizes for GWAS of the risk factor

Value

Standardised effect (b) and standard error (se)

Examples

```
data("gsmr")
std_effects = std_effect(gsmr_data$a1_freq, gsmr_data$bzx, gsmr_data$bzx_se, gsmr_data$bzx_n)
```